



6602W

ICONA MONITOR, VIP H264



Flush-mounted (on box Art. 6117) or surface-mounted (with bracket Art. 6620) colour monitor with audio induction loop, 4.3" / 16:9 touch screen and hands-free full-duplex audio. Allows adjustment of backlighting intensity, contrast, audio volume and ringtone volume. Equipped as standard with sensitive touch controls for lock-release, audio activation, self-ignition, privacy service and 3 other controls for programmable functions, and door open and new message indicator LEDs. Standard floor door call and call repetition management, with alarm and panic inputs and micro SD Card slot. You can customise the ringtone and video memory function with an absent message. Can also be used on standard POE systems. Dimensions 142.5x147x23mm. Compatible with H.264 video format.

AWARDS




6602W
ICONA MONITOR, VIP H264
MAIN FEATURES

Audio system:	No
Audio/video system:	Yes
Flush-mounted:	Yes
Wall-mounted:	Yes
Desk base-mounted:	Yes
Hands-free function:	Yes
Induction loop function:	Yes
Type of display:	LCD
Display size (inch):	4,3" 16:9
Touch screen display:	Yes
Display resolution HxV (mm):	480x272
B/W or colour display:	Color
Product colour:	White RAL9003
Sensitive Touch technology:	Yes
Total buttons:	15
Comaptibility with Video Entry Comelit App:	No

FUNCTIONS

Actuator control function:	Yes
Self-ignition:	Yes
Switchboard call function:	Yes
Priority calls:	Yes
Intercom function:	Yes
Selective intercom call:	Yes
Call to multiple addresses:	Yes
Privacy function:	Yes
Doctor:	Yes
Redial:	Yes
Floor door call function:	Yes
Electronic bell:	Yes
Customisable ringtone:	Yes
Video memory:	Yes
Viewer energy consumption:	Yes
Alarm function:	Yes
Sound diffusion control:	Yes
Receiving text messages:	Yes
Images reception:	Yes
Privacy conversation function:	Yes
Key button function:	Yes


6602W
ICONA MONITOR, VIP H264
FUNCTIONS

Automatic gain control (AGC):	Yes
-------------------------------	-----

HARDWARE SPECIFICATIONS

Removable terminals:	Yes
----------------------	-----

Ethernet ports:	Yes
-----------------	-----

SETTINGS

Loudspeaker volume control:	Yes
-----------------------------	-----

Microphone volume control:	Yes
----------------------------	-----

Ringtone volume control:	Yes
--------------------------	-----

Display brightness control:	Yes
-----------------------------	-----

Display contrast control:	Yes
---------------------------	-----

Display colour control:	Yes
-------------------------	-----

GENERAL DATA

Product height (mm):	142,49
----------------------	--------

Product width (mm):	147,07
---------------------	--------

Product depth (mm):	23,11
---------------------	-------

COMPATIBILITY

Vip system:	Yes
-------------	-----

TECHNICAL CHARACTERISTICS

Power supply voltage:	36 ÷ 57
-----------------------	---------

Support SD card (card not included):	Yes
--------------------------------------	-----

IP protection rating:	IP30
-----------------------	------

Operating temperature (°C):	-5 ÷ 40
-----------------------------	---------

Video encoding:	H.264
-----------------	-------

Product weight (g):	698,53
---------------------	--------

Clamps:	CFP AL PAN V- OUT1 IN1 S+S- V- OP+OP-
---------	---------------------------------------

Network connection:	RJ45
---------------------	------

IP assignment:	Auto IP
----------------	---------



6602W

ICONA MONITOR, VIP H264

ACCESSORIES



6117

PLANUX, SMART, ICONA FLUSH BACKBOX

Flush mounted box for Planux, Smart and Icona monitors Dimensions: 132x132x50mm



6118

PLANUX CLIPS FOR DRY LINED WALLS

Installation kit for plasterboard walls.



6617

Flush-mounted box for plasterboard. Icona

Flush-mount box allowing mounting of Icona series monitors on plasterboard and/or cement walls. Dimensions: 129x129x50 mm



6620

WALL BRACKET FOR ICONA MONITOR

Wall bracket for Icona monitor. Colour: White. Dimensions: 137X142X12.5 mm.



6612A

DESK BASE FOR ICONA MONITOR

Desk base installation accessory for Icona monitor.