



3070B

SIMPLEBUS AND VIP DIGITAL CALL MODULE, VANDALCOM SERIES





Made using a double 2.5 mm stainless steel plate, complete with keypad with 12 backlit stainless steel buttons, 16-character alphanumeric display for viewing call codes and user interaction messages (busy, etc.). Also functions as an electronic key code with a possible 1000 different 6-digit command codes. The device controls the on-board relay of art. 3062. Dimensions: 106x106x56 mm. From IR10 it is compatible with all SBTOP products and functions. It can be used for the call addressing of up to 120000 users.



3070B

SIMPLEBUS AND VIP DIGITAL CALL MODULE, VANDALCOM SERIES

MAIN FEATURES	
Backlighting colour:	Green led
Vandal Resistant rating (IK code):	YES
Product height (mm):	106
Product width (mm):	106
Product depth (mm):	56
Operating temperature (°C):	-25 ÷ 55
Maximum current absorption (mA):	100

SOFTWARE/FIRMWARE SPECIFICATIONS	
Number of user codes:	1500
No. of storable users:	1500

FUNCTIONS	
Key button function:	Yes

HARDWARE SPECIFICATIONS	
Customisable housing:	No
Visual signalling:	No
Acoustic signalling:	No
Total buttons:	12
Sensitive Touch technology:	No

GENERAL DATA	
Product colour:	Grey

COMPATIBILITY	
Simplebus Top audio/video system:	Yes
Simplebus 2 audio system:	Yes
Vip system:	Yes

MOUNTING/INSTALLATION	
Flush-mounted:	Yes
Wall-mounted:	Yes

AUDIO/VIDEO FEATURES	
Display resolution HxV (mm):	16x2 characters



3070B

SIMPLEBUS AND VIP DIGITAL CALL MODULE, VANDALCOM SERIES

AUDIO/VIDEO FEATURES	
Audio system:	Yes
Audio/video system:	Yes
Type of display:	Alphanumeric

CONNECTIVITY	
Type of connections/ports:	RS232, RS485
RS232 ports:	1
RS485 ports:	1