3360A

IKALL SERIES S2 AND VIP DIGITAL CALL MODULE - BLACK

Complete with 128x64 dot graphic LCD display and keypad with 21 buttons backlit with blue LEDs. Also works as electronic key code. Two search buttons are used to scroll though the names; alternatively, the first letter of the required name can be entered. Once the desired username is displayed, simply press the call button. The call can also be made by directly entering the user code. It can also be used to customise an initial welcome message and can operate with a dual user interface language. It can be used in conjunction with Simplekey electronic keys for automatic updating of the names in the directory. For the SBC system (factory setting), the electronic name directory saves up to 3500 user names and 6000 lock-release passwords. Users and settings are simple to programme using PC software art. 1249B (included, with USB connection cable) via a USB or RS485 port, or locally on the digital module itself. It is compatible with all SBTOP products and functions. It can be used for the call addressing of up to 120000 users. Includes the Cd-Rom loaded with serial download SW art. 1249B for installation to PC and the USB connection cable.

The technical specifications are subject to variations without warning.

3360A

IKALL SERIES S2 AND VIP DIGITAL CALL MODULE - BLACK

MAIN FEATURES

Backlighting colour:	
Vandal Resistant rating (IK code):	
Height (mm):	180
Width (mm):	112
Depth (mm):	40
Operating temperature (°C):	-25 ÷ 55
Maximum current absorption (mA):	80

FUNCTIONS

Key button function:	Yes

HARDWARE SPECIFICATIONS

Total buttons:	18
Sensitive Touch technology:	Yes

GENERAL DATA

Colour:	Black RAL9005

COMPATIBILITY

Simplebus 2 audio/video system:	Yes
Simplebus 2 audio system:	Yes
Vip system:	Yes

MOUNTING/INSTALLATION

Flush-mounted:	Yes
Wall-mounted:	Yes

AUDIO/VIDEO FEATURES

Display size (inch):	3
Display resolution (HxV - pixel):	128x64
Audio system:	Yes
Audio/video system:	Yes
Type of display:	

CONNECTIVITY

Type of connections/ports:	RS485, USB

The technical specifications are subject to variations without warning.

3360A

IKALL SERIES S2 AND VIP DIGITAL CALL MODULE - BLACK

CONNECTIVITY

RS485 ports:	1

The technical specifications are subject to variations without warning.