



3452S

316 AUDIO VIDEO ENT. PAN., SENSE H264 - VIP



Flush-mounted entrance panel with 3 mm thick stainless steel plate. IK08 certified. Complete with 128x64 dot LCD graphic display and 15 buttons integrated into the plate, with no mechanical movement. Also works as access control keypad. Two search buttons are used to scroll through the names; alternatively, the first letter of the required name can be entered. Once the desired username is displayed, simply press the call button. The call can also be made by directly entering the user code. It can also be used to customise an initial welcome message and can operate with a dual user interface language. Integrated RFID reader which can be used in conjunction with Simplekey. Complete with ViP unit part. 4682HC for audio/video/door lock management, and flush-mounted box with concealed fixing screws. Dimensions 342x182x60 mm.

AWARDS

DESIGN
MILANO

reddot design award



Merlion
Awards



3452S

316 AUDIO VIDEO ENT. PAN., SENSE H264 - VIP

MAIN FEATURES

| | |
|-------------------------------------|---|
| Compatible with audio / video unit: | Si |
| Type: | |
| Material: | AISI 316 stainless steel |
| Type of display: | LCD 128x64 dots |
| Audio/video system: | Yes |
| Flush-mounted: | Yes |
| Wall-mounted: | Yes |
| Rain shield (optional): | Yes |
| Camera: | |
| Type of sensor: | 1/3" CCD |
| Lens size (mm): | 3,6 |
| Minimum colour lighting (lux): | 0,23 |
| Video resolution (H x V - pixel): | 500x582 |
| Video encoding: | H.264 |
| Signal/noise ratio (dB): | 48 |
| Video output: | Composite, 1Vpp, 75 Ohm, PAL |
| Power supply: | 30÷57 VDC |
| Clamps: | TX- TX+RX- RX+V- V+RTE GND SE COM NC NO |
| Digital call: | Yes |
| Microphone volume control: | Yes |
| Loudspeaker volume control: | Yes |
| Operating temperature (°C): | -5 ÷ 55 |
| IP protection rating: | |
| Vandal Resistant rating (IK code): | IK08 |

FUNCTIONS

| | |
|----------------------|-----|
| Key button function: | Yes |
|----------------------|-----|

HARDWARE SPECIFICATIONS

| | |
|----------------------|-----|
| Visual signalling: | Yes |
| Acoustic signalling: | Yes |
| Speech synthesis: | Yes |

GENERAL DATA

| | |
|----------------------|-------|
| Product height (mm): | 342 |
| Product width (mm): | 182 |
| Product depth (mm): | 60 |
| Product colour: | Steel |



3452S

316 AUDIO VIDEO ENT. PAN., SENSE H264 - VIP

COMPATIBILITY

| | |
|-------------|-----|
| Vip system: | Yes |
|-------------|-----|

CONNECTIVITY

| | |
|----------------------------|----------|
| Type of connections/ports: | Ethernet |
|----------------------------|----------|

| | |
|-----------------|---|
| Ethernet ports: | 1 |
|-----------------|---|

ELECTRICAL SPECIFICATIONS

| | |
|------------------------------------|--|
| Door release (dry contact bridge): | |
|------------------------------------|--|

| | |
|---------------------------------------|--|
| Door release (direct current output): | |
|---------------------------------------|--|



3452S

316 AUDIO VIDEO ENT. PAN., SENSE H264 - VIP

ACCESSORIES



3458

ACCESS CONTROL ACCESSORY MODULE FOR EXTERNAL UNITS, 316

Flush-mounted 3 mm thick stainless steel plate for housing the access control module. Can be used in conjunction with all entrance panels in the 316 range. Dimensions 88x182x3 mm



3459

ROOF COMPLETE WITH LEDS FOR SENSE 316 ST. STEEL ENT. PANEL

Rain shield for 316 series panels.



3460/6

FLUSH-MT.BOX FOR TOUCH-SENSE & 5-6 BUTT.ENT.PAN. 316 SERIES

Flush-mounted box for 5- and 6-button ent. panels from 316 Analog series and for 316 Touch and 316 Sense series ent. panels. Dimensions: 164x323x56 mm



3462/6

WALL HOUSING FOR TOUCH-SENSE & 5-6 BUTT.ENT.PAN. 316 SERIES


Stainless steel accessory for wall-mounted entrance panels Art. 3451, 3451/A, 3452, 3453, 3454. Dimensions 180x340x57 mm



1596B

POWER SUPPLY 33VDC 60W 100-240VAC, PSE CERTIFIED

Power supply unit with 110-230 VAC primary and 33 VDC / 1.8A continuous output for 316 range entrance panels. Equipped with internal protection against current overload and short circuits. Dimensions: 106x89x62 mm (6 DIN modules). PSE certified.



1220

NAME TAG SHEETS FOR 316 ANALOG ENTRANCE PANEL

The kit contains 10 sheets of adhesive labels for nameplates and 7 sheets for information modules.



3452S

316 AUDIO VIDEO ENT. PAN., SENSE H264 - VIP

ACCESSORIES



1235A

NAMEPLATE LABEL PRINTING SOFTWARE

Dedicated software for the creation and printing of nameplate and information labels for Ikall, Vandalcom, Quadra and 316 Analog entrance panels. Requires use of adhesive labels art.1217, 1218, 1219 or art.1220. This software is available to download free of charge from the Comelit website