



4682HCW

D&N WIDE COL.A/V UNIT. VIP SYS. IKALL SERIES. H264



Audio-video unit for VIP system including terminal block complete with front-adjustable mini lens colour camera, LED camera lighting. Complete with terminal block and digital audio management system with Eco-cancelling, watertight loudspeaker and electret microphone, loudspeaker volume adjustable from the front. For fitting in modules: art. 33410, 33411 and 33412. Dimensions: 102x55x38 mm.



4682HCW

D&N WIDE COL.A/V UNIT. VIP SYS. IKALL SERIES. H264

MAIN FEATURES

Audio/video system:	Yes
Camera:	Colors
Video encoding:	H.264
Type of sensor:	1/3" CCD
Minimum illumination (lux):	0,23
Lens size (mm):	3,6
Camera orientation:	Yes
Power supply voltage:	÷ 33
Clamps:	TX- TX+RX- RX+V- V+RTE GND SE COM NC NO
Microphone:	Yes
Microphone volume control:	Yes
Loudspeaker:	Yes
Loudspeaker volume control:	Yes
Operating temperature (°C):	-25 ÷ 55

SOFTWARE/FIRMWARE SPECIFICATIONS

Video resolution HxV (mm):	500x582
----------------------------	---------

FUNCTIONS

Key button function:	Yes
----------------------	-----

HARDWARE SPECIFICATIONS

Visual signalling:	Yes
Acoustic signalling:	Yes
Speech synthesis:	Yes

GENERAL DATA

Product height (mm):	55
Product width (mm):	102
Product depth (mm):	38

COMPATIBILITY

Vip system:	Yes
-------------	-----

CONNECTIVITY

Ethernet ports:	1
-----------------	---

4682HCW

D&N WIDE COL.A/V UNIT. VIP SYS. IKALL SERIES. H264

ELECTRICAL SPECIFICATIONS

Door release (dry contact bridge):	Yes
Door release (direct current output):	Yes



4682HCW

D&N WIDE COL.A/V UNIT. VIP SYS. IKALL SERIES. H264

ACCESSORIES

4682HC



COL.AUD/VID UNIT FOR VIP SYST., IKALL SERIES.H264

Audio-video unit for ViP system including terminal block complete with front-adjustable mini lens colour camera, LED camera lighting. Complete with terminal block and digital audio management system with Eco-cancelling, watertight loudspeaker and electret microphone, loudspeaker volume adjustable from the front. For fitting in modules: art. 33410, 33411 and 33412. Dimensions: 102x55x38 mm.