







Style Kit 5 is the ideal door entry phone kit which uses 5 wires and is available from single-family to four-family versions. Style Kit 5 has an original and innovative design characterised by its unmistakeable and exclusive blue LEDs, by large name labels and by high sound quality. Simply by adding a telephone or an additional bell allows easy expansion and an elegant desk base ensures flexibility for all needs.



STYLEKIT 5 WIRE - 2 USER

3553

2602

1200

KIT PRODUCT



5 WIRE SURFACE PANEL FOR STYLEKIT - 2 BUTTON

Surface mount 2 button door entry panel which comes as part of the 8272 audio kit. Features include a large illuminated name window with LED, complete with speaker unit and volume adjustment. Dimensions of flush-mounted box:95x176x25mm

COMPATIBILITY - 3553

Traditional system:



BASIC DOOR ENTRY PHONE FOR STYLEKIT 5

Door-entry phone with electronic call function, conversation button on base, call volume control and privacy function, key button and supplementary button for additional services with independent common. On this model it is not possible to add extra buttons or LEDs. Dimensions: 95x215x58 mm.

Yes

MAIN FEATURES - 2602Audio system:YesWall-mounted:YesDesk base-mounted:YesColour:ITotal buttons:2



TRANSFORMER 10VA 0-230V/0-12V

Transformer with 230V primary winding, 12V AC / 900 mA secondary winding for continuous use.Dimensions: 53x95x65 mm (3 DIN modules).

MAIN FEATURES - 1200		
Supply voltage (VAC):	230	
Output supply voltage (VAC):	12	
Input connector:	Terminal block	
Applicable to DIN rail:	Yes	
Number of DIN modules:	3	
Max. current delivered (A):	0,90	





STYLEKIT 5 WIRE - 2 USER

MAIN FEATURES - 1200



3554

FLUSH BOX FOR STYLEKIT RANGE Flush-mounting box. Dimensions: 95,5x176,5x35mm

MAIN FEATURES - 3554	
Vandal Resistant rating (IK code):	
Height (mm):	176,5
Width (mm):	95,5
Depth (mm):	35



8272 STYLEKIT 5 WIRE - 2 USER

ACCESSORIES		
	1122/A	RELAY 12/24 AC OR DC 12-24 V DC-AC 10 A relay for general uses. Can be controlled directly, for call repetition, from terminals S+ and S of the brackets and/or from the digital telephones Dimensions: 68X85X35 mm (4 DIN modules).
a.522 00.151 €€ ••.151 €151 €0 ••.151 €151 €151 €0 ••.151 €151 €151 €0 ••.151 €151 €151 €151 €151 €151 €151 €151	1200	TRANSFORMER 10VA 0-230V/0-12V Transformer with 230V primary winding, 12V AC / 900 mA secondary winding for continuous use.Dimensions: 53x95x65 mm (3 DIN modules).
	1229	EXTENSION SOUNDER Additional bell for call repetition can be controlled directly from terminals S- and S+ of the brackets and/or from the telephones. Surfacemounted or on civil series 503 box. Dimensions: 110X75X29 mm.
	1626	STYLE INTERCOM ADDITIONAL PUSH BUTTON Pushbutton to be inserted in the base of the telephone. Takes up the space of one element.
	1627	LED FOR STYLE ELEGANCE H/SET Blue LED to be inserted in the base of the telephone. Takes up the space of one element. 12-24V AC-DC operation.
	2602	BASIC DOOR ENTRY PHONE FOR STYLEKIT 5

Door-entry phone with electronic call function, conversation button on base, call volume control and privacy function, key button and supplementary button for additional services with independent common. On this model it is not possible to add extra buttons or LEDs. Dimensions: 95x215x58 mm.



STYLEKIT 5 WIRE - 2 USER

ACCESSORIES



WHITE DESK BASE FOR STYLE 16 WIRE

White desk conversion kit for all the telephones in the Style series. Complete with 1.5 mt of white cable and connection bushing fitted with 16 connection terminals. Dimensions 84X189X32 mm.

2642W/28	WHITE DESK BASE FOR STYLE 28 WIRE White desk conversion kit for all the telephones in the Style series. Complete with 1.5 mt of white cable and connection bushing fitted with 28 connection terminals. Dimensions 84X189X32 mm.
3550	5 WIRE FLUSH PANEL FOR STYLEKIT - 1 BUTTON Flush mount 1 button door entry panel which comes as part of the 8271 audio kit. Features include a large illuminated name window with LED, complete with speaker unit and volume adjustment. Dimensions of flush-mounted box:95.5x176.5x35mm
3551	5 WIRE SURFACE PANEL FOR STYLEKIT - 1 BUTTON Surface mount 1 button door entry panel which comes as part of the 8271 audio kit. Features include a large illuminated name window with LED, complete with speaker unit and volume adjustment. Dimensions of external unit:95x176x25mm
3552	5 WIRE FLUSH PANEL FOR STYLEKIT - 2 BUTTON Flush mount 2 button door entry panel which comes as part of the 8272 audio kit. Features include a large illuminated name window with LED, complete with speaker unit and volume adjustment. Dimensions of flush-mounted box:95.5x176.5x35mm
3553	5 WIRE SURFACE PANEL FOR STYLEKIT - 2 BUTTON Surface mount 2 button door entry panel which comes as part of the 8272 audio kit. Features include a large illuminated name window with LED, complete with speaker unit and volume adjustment. Dimensions of flush-mounted box:95x176x25mm



STYLEKIT 5 WIRE - 2 USER

ACCESSORIES		
	3554	FLUSH BOX FOR STYLEKIT RANGE Flush-mounting box. Dimensions: 95,5x176,5x35mm
	3560	2 WIRE FLUSH PANEL FOR STYLEKIT - 1 BUTTON Flush mount 1 button door entry panel which comes as part of the 8270 audio kit. Features include a large illuminated name window with LED, complete with speaker unit and volume adjustment. Dimensions of flush-mounted box:95.5x176.5x35mm
	3561	2 WIRE IDEAL SURFACE MOUNTED EXTERNAL PANEL Surface mount 1 button door entry panel which comes as part of the 8270 audio kit. Features include a large illuminated name window with LED, complete with speaker unit and volume adjustment. Dimensions of flush-mounted box:95x176x15mm
	3573	3 BUTTON STYLEKIT PANEL 5 WIRE Flush mount 3 button door entry panel which comes as part of the 8273 audio kit. Features include illuminated name windows with LED, complete with speaker unit and volume adjustment. Dimensions of flush-mounted box:95.5x176.5x35mm
COUR Internet Based Base	3574	4 BUTTON STYLEKIT PANEL 5 WIRE Flush mount 4 button door entry panel which comes as part of the 8274 audio kit. Features include illuminated name windows with LED, complete with speaker unit and volume adjustment. Dimensions of flush-mounted box:95.5x176.5x35mm
0.0	4887	RAINHIELD FOR SURFACE MOUNTED IDEAL KIT Protection housing with rain shield for Ideal wall-mounted panel. Dimensions: 119x196x76 mm





STYLEKIT 5 WIRE - 2 USER

4889

ACCESSORIES



RAINHIELD FOR FLUSH MOUNTED IDEALKIT Rain shield for Ideal flush-mounted panel Dimensions: 115x195x52mm